The National Programme on Substance Abuse Deaths

Dr Caroline Copeland



The National Programme on Substance Abuse Deaths (NPSAD)

- Established in 1997
- Over 48,000 cases
- NPSAD Criteria
 - O A psychoactive drug found at post-mortem and/or implicated in causing the death
 - The decedent had a history of drug abuse
- Reporting documents
 - NPSAD Form + Toxicology report
 - Record of Inquest + Toxicology report + GP Summary

The National Programme on Substance Abuse Deaths (NPSAD)

Office for National Statistics (ONS)

NPSAD

Recorded as date of reporting

Recorded as date of death

- Drugs must appear in Cause fields on the death certificate to be recognised
- Full toxicology provided

Drug categorisation limited

o (see above)

Case Study: Fentanyl-Related Deaths

- O Pharmaceutical fentanyls: Fentanyl, remifentanyl, sufentanyl, alfentanyl
- Non-pharmaceutical fentanyl derivatives (NPFDs): Carfentanyl, ocfentanyl, butyrylfentanyl




Case Study: Fentanyl-Related Deaths


Advisory Council on the Misuse of Drugs

ACMD Chair: Dr Owen Bowden-Jones
ACMD NPS Committee Secretary: Imogen McHarg
Rt. Hon. Priti Patel MP
Home Secretary
2 Marsham Street
London
SWIP 4DF
Friday, 3 January 2020
Dear Home Secretary,
Re: ACMD Report – Misuse of Fentanyl and Fentanyl Analogues
In July 2017 the then-Home Secretary commissioned the Advisory Council on the
Misuse of Drugs (ACMD) to consider fentanyl and fentanyl analogues following the
publication of the Dnus Stratery 2017

ACMD


- Pharmaceutical fentanyls: Fentanyl, remifentanyl, sufentanyl, alfentanyl
- Non-pharmaceutical fentanyl derivatives (NPFDs): Carfentanyl, ocfentanyl, butyrylfentanyl






Case Study: Fentanyl-Related Deaths


- O Pharmaceutical fentanyls: Fentanyl, remifentanyl, sufentanyl, alfentanyl
- Non-pharmaceutical fentanyl derivatives (NPFDs): Carfentanyl, ocfentanyl, butyrylfentanyl







Case Study: Synthetic Cannabinoids

- Synthetic cannabinoid receptor agonists (SCRAs), often termed 'Spice'
- Based on the structure of the psychoactive ingredient in cannabis, THC,
 - But much more potent



Usual Living Circumstances	% (n)
Private residential	57.6% (n=95)
Hostel	13.3% (n=22)
Homeless	19.4% (n=32)
Prison	4.9% (n=8)
Other	4.9% (n=8)






Ongoing NPSAD Projects

Naloxone by Drone



Methadone deaths in first COVID-19 lockdown



Illicit drug –
Pharmaceutical Drug
Interactions



The National Programme on Substance Abuse Deaths

- Office for Health Improvement and Disparities (PHE 2.0)
- The Home Office's independent Advisory Council on the Misuse of Drugs
- National Crime Agency
- World Health Organisation

The National Programme on Substance Abuse Deaths

Caroline.Copeland@kcl.ac.uk

Any Questions?