



Centre for
Public Health

Merseyside Inter Agency Drug Misuse Database

January - March 2010

Knowsley DAAT

Quarter 4 2009/10

**Lloyd Baron, Steven Griffith,
Martin Chandler, Jim McVeigh**

DRAFT REPORT

The final version will be available on the IAD website

www.cph.org.uk/iad

Acknowledgements:

The Authors would like to thank the following for their valuable contributions to the production of this report: Ellie McCoy and Paul Duffy.

We would also like to thank the data providers for their efforts in assisting and maintaining the monitoring process.

Contacts:

Martin Chandler
IAD Manager
Centre for Public Health
Faculty of Health & Applied Social Sciences
Liverpool John Moores University
4th Floor, Kingsway House
Hatton Gardens
Liverpool
L3 2AY

(0151) 904 6031

m.chandler@ljmu.ac.uk

Lloyd Baron
IAD Researcher

(0151) 231 8014

L.R.Baron@ljmu.ac.uk

www.cph.org.uk/iad

Contents

	<u>Page</u>
Introduction	1
Arrest Referral	3
Table 1: Individuals assessed, by Gender and Age Group	
Table 2: Year to Date, by Gender and Age Group	
Table 3: Reported Main Drug(s) of Use, by Frequency of Use	
Needle and Syringe Programmes (NSPs)	5
Agency	
Table 4: Individuals by Gender	
Table 5: Individuals by Gender: Steroid Users omitted	
Table 6: Individuals by Age Group	
Table 7: Individuals by Age Group: Steroid Users omitted	
Table 8: Gender by Age Group of Individuals	
Table 9: Gender by Age Group: Steroid Users omitted	
Table 10: Year to Date, by Gender & Age Group	
Table 11: Year to Date, by Gender & Age Group: Steroid Users omitted	
Table 12: Main Drug of Use for New Agency NSP Clients, by Gender	
Table 13: Main Drug of Use, for All Agency NSP Clients, by Gender	
Table 14: Main Drug of Use, for New Agency NSP Clients, by Age Group	
Pharmacy	11
Table 15: Individuals by Gender	
Table 16: Individuals by Age Group	
Table 17: Year to Date, by Gender & Age Group	
Combined	12
Table 18: Individuals in NSP, by Gender	
Table 19: Individuals in NSP, by Gender: Steroid Users omitted	
Table 20: Individuals in NSP, by Age Group	
Table 21: Individuals in NSP, by Age Group: Steroid Users omitted	
Table 22: Year to Date, by Gender & Age Group	
Table 23: Total Syringes Provided	

National Drug Treatment Monitoring System (NDTMS) 14

Table 24: Individuals in contact with Treatment Services, by Gender

Table 25: Year to Date, by Gender

Table 26: Individuals in contact with Treatment Services, by Age Group

Table 27: Year to Date, by Age Group

Table 28: Ethnicity of Individuals in Contact with Treatment Services

Table 29: Individuals in contact with Treatment Services, by Main Drug of Use

Connexions 17

Table 30: Individuals in Contact with Connexions, by Gender

Table 31: Year to Date, by Gender

Table 32: Individuals in Contact with Connexions, by Age

Table 33: Year to Date, by Age

Table 34: Individuals in Contact with Connexions by Drug/Alcohol Problem

Table 35: Year to Date, by Drug/Alcohol Problem

Combined Datasets 19

Table 36: Total Problem Drug Users reported to the IAD, by Gender and Age Group

Table 37: Year to Date, by Gender & Age Group

Cross Matched Datasets 20

Fig 1: Crossover between Agency NSP and NDTMS datasets

Fig 2: Crossover between Pharmacy NSP and NDTMS datasets

Fig 3: Crossover between YTD Agency NSP and NDTMS datasets

Fig 4: Crossover between YTD Pharmacy NSP and NDTMS datasets

Introduction

The Inter Agency Drug Misuse Database (IAD), established by Merseyside Drug (and Alcohol) Action Teams, Merseyside Police and the Public Health Sector (now Centre for Public Health) in 1997, supports the need for local information on drug misuse. In particular the IAD aims to:

- Provide comprehensive reporting of problem drug users' (PDUs') characteristics including a range of demographics and the types of drugs used.
- Reflect levels of service and intervention activity.
- Assist in D(A)AT's (and other responsible bodies) performance management.
- Facilitate the planning and development of services and interventions for PDUs.
- Identify gaps in service provision and delivery, as well as under-served groups as specified by the National Treatment Agency and Department of Health and by the Centre for Public Health, through interrogation of available data.
- Highlight changes in levels, demographics and characteristics of drug user populations.
- Report back to both individual D(A)ATs and service providers in the form of audits and quarterly reports as well as responding to ad hoc requests.
- Provide summary reporting on an annual basis.

To enable the above the IAD collects data from as many agencies in contact with drug users as possible and is continually seeking to expand the range and scope of data providers. Data are currently collected from criminal justice services, needle and syringe programmes (both pharmacy and agency-based), the National Drug Treatment Monitoring System (NDTMS) and Connexions (young people).

Data considerations

Analysis of data depends on the provision of attributable information. Each service provider records first and last initials, date of birth and gender, for each individual they record a contact with. The combination of these details provides an identifier (attributor) for each individual (e.g.: HF07/12/1974M). This is a nationally recognised system and allows individuals to be tracked through different service providers and across time whilst retaining an acceptable degree of anonymity. The attributor is essential to avoid double counting of individuals both within and across datasets, as well as enabling us to match across datasets. The D(A)AT referred to is the D(A)AT of contact unless otherwise stated.

The IAD will *only* be reporting attributable data for each dataset. In the past, report deadlines have been missed due to data arriving too late to be cleaned and analysed in time, or more often because the data requires a great deal of cleaning and validation before analysis. These reports are useful only if they can arrive within timelines useful to D(A)ATs (ie: in time for NTA quarterly submissions). For this reason, reports will now be sent out according to a strict timetable, with each quarter's report to be sent in the first week of the third month following the close of the reporting period. Any data that is missing or non-attributable will not be included in the report.

Year-to-Date figures will be provided for the current financial year, and will incorporate updated figures from previous quarters. The figures are calculated by aggregating successive quarterly datasets to omit double counting of those who present to services in each quarter. Year-to-Date data will be the most accurate reflection of annual service activity and will override previous quarterly data.

The Centre for Public Health will continue to work closely with service providers and D(A)ATs in order to improve both the timeliness and quality of monitoring data provided to the IAD. Many service providers are turning to electronic recording of data and it is hoped this will vastly improve the quality of the data as systems improve.

ARREST REFERRAL (AR)**Quarter 4 (2009/10)****Introduction**

Raw data are provided by the Drug Intervention Programme (DIP) Team based at the Centre for Public Health, Liverpool John Moores University. The data supplied are for validated contacts within specified D(A)AT areas and are aggregated to one person per D(A)AT area. Individuals may therefore appear more than once within the final dataset if they have been seen in more than one D(A)AT area, but only once for each D(A)AT area within the reporting period.

Table 1: Individuals assessed, by Gender & Age Group

Gender	n	%
Male	38	92.7
Female	3	7.3
Age Group		
Under 18	0	0.0
18-19	2	4.9
20-24	8	19.5
25-29	10	24.4
30-34	4	9.8
35-39	9	22.0
40-44	4	9.8
45+	4	9.8
Total	41	100

Table 2: Year to Date, by Gender & Age Group

	Gender				Total in Age Group	
	Male		Female			
Age Group	n	%	n	%	n	%
Under 18	0	0.0	0	0.0	0	0.0
18-19	7	5.8	0	0.0	7	4.8
20-24	26	21.5	5	19.2	31	21.1
25-29	26	21.5	4	15.4	30	20.4
30-34	15	12.4	4	15.4	19	12.9
35-39	20	16.5	7	26.9	27	18.4
40-44	15	12.4	4	15.4	19	12.9
45+	12	9.9	2	7.7	14	9.5
Total	121	100	26	100	147	100

Table 3: Reported Main Drug(s) of Use, by Frequency of Use

Drug of Use	Daily	Weekly	Monthly
Amphetamines	0	1	0
Benzodiazepines	-	-	-
Cannabis	3	1	0
Crack	1	0	0
Cocaine	2	14	8
Ecstasy	-	-	-
Heroin	8	1	1
Methadone	-	-	-
Other	-	-	-

NB: The complexity of the drug profiles reported through arrest referral is such that we have decided the best way of reporting the data is to provide figures for the number of people reporting Daily or Weekly use of each drug. Where “Main drug” is provided in the original data it does not always match the other substances reported as being used daily; consequently, this method of reporting should provide a more accurate picture of drug use as reported through Arrest Referral rather than simply stating the “Main Drug”. However it should be noted that some people may report several drugs being used and will therefore be counted in the figures for each drug they report. For this reason totals are not provided.

NEEDLE AND SYRINGE PROGRAMMES

Quarter 4 (2009/10)

Introduction

Data are collected directly from NSP providers. Analysis of NSP data allows performance monitoring of harm reduction services at both D(A)AT and service provider level.

Please note that the closure of the Lighthouse Project (LHP) resulted in a severe, but temporary, disruption to the agency-based needle and syringe programme service. Consequently there is a short period within Quarter 2 (2009/10) for which we have no data this is reflected in the year to date figures supplied for this quarter. All sites have since reopened and are supplying monitoring data however the year to date figures may appear lower comparable to Q4 (2008/09) due to LHP closure. Please contact us if you require further information.

AGENCY NSPs

Table 4: Individuals by Gender

New Clients	n	%
Male	54	98.2
Female	1	1.8
Total	55	100
All Clients		
Male	163	97.6
Female	4	2.4
Total	167	100

Table 5: Individuals by Gender: Steroids Users Omitted

New Clients	n	%
Male	7	87.5
Female	1	12.5
Total	8	100
All Clients		
Male	31	88.6
Female	4	11.4
Total	35	100

Table 6: Individuals by Age Group

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	0	0.0	0	0.0
18-19	2	3.6	6	3.6
20-24	15	27.3	38	22.8
25-29	14	25.5	40	24.0
30-34	6	10.9	21	12.6
35-39	8	14.5	34	20.4
40-44	6	10.9	21	12.6
45+	4	7.3	7	4.2
Total	55	100	167	100

Table 7: Individuals by Age Group: Steroid Users omitted

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	0	0.0	0	0.0
18-19	0	0.0	0	0.0
20-24	2	25.0	2	5.7
25-29	0	0.0	1	2.9
30-34	1	12.5	4	11.4
35-39	3	37.5	16	45.7
40-44	2	25.0	11	31.4
45+	0	0.0	1	2.9
Total	8	100	35	100

Table 8: Gender by Age Group of Individuals

Age Group	Gender			
	Male		Female	
	n	%	n	%
Under 18	0	0.0	0	0.0
18-19	6	3.7	0	0.0
20-24	38	23.3	0	0.0
25-29	40	24.5	0	0.0
30-34	21	12.9	0	0.0
35-39	33	20.2	1	25.0
40-44	18	11.0	3	75.0
45+	7	4.3	0	0.0
Total	163	100	4	100

Table 9: Gender by Age Group: Steroid Users omitted

Age Group	Gender			
	Male		Female	
	n	%	n	%
Under 18	0	0.0	0	0.0
18-19	0	0.0	0	0.0
20-24	2	6.5	0	0.0
25-29	1	3.2	0	0.0
30-34	4	12.9	0	0.0
35-39	15	48.4	1	25.0
40-44	8	25.8	3	75.0
45+	1	3.2	0	0.0
Total	31	100	4	100

Table 10: Year to Date, by Gender & Age Group

Age Group	Gender				Total in Age Group	
	Male		Female			
	n	%	n	%	n	%
Under 18	0	0.0	0	0.0	0	0.0
18-19	17	4.3	0	0.0	17	4.1
20-24	88	22.1	0	0.0	88	21.3
25-29	90	22.6	1	7.1	91	22.0
30-34	70	17.5	4	28.6	74	17.9
35-39	75	18.8	2	14.3	77	18.6
40-44	40	10.0	5	35.7	45	10.9
45+	19	4.8	2	14.3	21	5.1
Total	399	100	14	100	413	100

Table 11: Year to Date, by Gender & Age Group: Steroid Users Omitted

Age Group	Gender				Total in Age Group	
	Male		Female			
	n	%	n	%	n	%
Under 18	0	0.0	0	0.0	0	0.0
18-19	2	2.5	0	0.0	2	2.2
20-24	6	7.5	0	0.0	6	6.5
25-29	4	5.0	1	7.7	5	5.4
30-34	12	15.0	4	30.8	16	17.2
35-39	29	36.3	2	15.4	31	33.3
40-44	20	25.0	5	38.5	25	26.9
45+	7	8.8	1	7.7	8	8.6
Total	80	100	13	100	93	100

Table 12: Main Drug of Use for New Agency NSP Clients, by Gender

Drug of Use	Gender			
	Male		Female	
	n	%	n	%
Amphetamines	0	0.0	0	0.0
Benzodiazepines	0	0.0	0	0.0
Cocaine	0	0.0	0	0.0
Crack	2	3.7	0	0.0
Heroin	4	7.4	1	100.0
Methadone	0	0.0	0	0.0
Steroids	47	87.0	0	0.0
Unknown	1	1.9	0	0.0
Total	54	100	1	100

Table 13: Main Drug of Use for All Agency NSP Clients, by Gender

Drug of Use	Gender			
	Male		Female	
	n	%	n	%
Amphetamines	0	0.0	0	0.0
Benzodiazepines	0	0.0	0	0.0
Cocaine	0	0.0	0	0.0
Crack	3	1.8	0	0.0
Heroin	24	14.7	4	100.0
Methadone	1	<1	0	0.0
Steroids	132	81.0	0	0.0
Various	2	1.2	0	0.0
Unknown	1	<1	0	0.0
Total	163	100	4	100

Current Quarter; Melanotan Clients

- 0 New Male clients reported using melanotan during Q4
- 0 New Female clients reported using melanotan during Q4
- 1 Male client reported using melanotan during Q4
- 0 Female clients reported using melanotan during Q4

Table 14: Main Drug of Use for New Agency NSP Clients, by Age Group

Age Group	Ampheta- mine		Benzodi- azepine		Cocaine		Crack		Heroin		Methadone		Steroids	
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Under 18	-	-	-	-	-	-	0	0.0	0	0.0	-	-	0	0.0
18-19	-	-	-	-	-	-	0	0.0	0	0.0	-	-	2	4.3
20-24	-	-	-	-	-	-	0	0.0	1	20.0	-	-	13	27.7
25-29	-	-	-	-	-	-	0	0.0	0	0.0	-	-	14	29.8
30-34	-	-	-	-	-	-	0	0.0	1	20.0	-	-	5	10.6
35-39	-	-	-	-	-	-	1	50.0	2	40.0	-	-	5	10.6
40-44	-	-	-	-	-	-	1	50.0	1	20.0	-	-	4	8.5
45+	-	-	-	-	-	-	0	0.0	0	0.0	-	-	4	8.5
Total	-	-	-	-	-	-	2	100	5	100	-	-	47	100

*% Totals are by Drug, not Age Group.

Please Note: Due to a change in reporting methods main drug of use by age group will only be reported for new clients. Information on age group for all clients is available on request.

PHARMACY NSP

Table 15: Individuals by Gender

New Clients	n	%
Male	13	86.7
Female	2	13.3
<i>Total</i>	15	100
All Clients		
Male	27	87.1
Female	4	12.9
<i>Total</i>	31	100

Table 16: Individuals by Age Group

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	0	0.0	0	0.0
18-19	0	0.0	0	0.0
20-24	0	0.0	0	0.0
25-29	1	6.7	2	6.5
30-34	0	0.0	1	3.2
35-39	7	46.7	17	54.8
40-44	3	20.0	7	22.6
45+	4	26.7	4	12.9
<i>Total</i>	15	100	31	100

Table 17: Year to Date, by Gender & Age Group

Age Group	Gender				Total in Age Group	
	Male		Female			
	n	%	n	%	n	%
Under 18	0	0.0	0	0.0	0	0.0
18-19	1	1.4	0	0.0	1	1.2
20-24	4	5.5	0	0.0	4	4.8
25-29	5	6.8	2	18.2	7	8.3
30-34	8	11.0	2	18.2	10	11.9
35-39	24	32.9	5	45.5	29	34.5
40-44	16	21.9	2	18.2	18	21.4
45+	15	20.5	0	0.0	15	17.9
<i>Total</i>	73	100	11	100	84	100

COMBINED PHARMACY AND AGENCY NSP

Analyses here are based on an aggregated combination of Agency and Pharmacy-based datasets for the reporting period. Data are aggregated by attributor and D(A)AT to one person per D(A)AT area.

Table 18: Individuals in NSP, by Gender

New Clients	n	%
Male	67	95.7
Female	3	4.3
<i>Total</i>	70	100
All Clients		
Male	184	96.3
Female	7	3.7
Total	191	100

Table 19: Individuals in NSP, by Gender: Steroid Users Omitted*

New Clients	n	%
Male	20	87.0
Female	3	13.0
<i>Total</i>	23	100
All Clients		
Male	52	88.1
Female	7	11.9
Total	59	100

*Only known steroid users, based on Agency NSP data, have been omitted.

Table 20: Individuals in NSP, by Age Group

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	0	0.0	0	0.0
18-19	2	2.9	6	3.1
20-24	15	21.4	38	19.9
25-29	15	21.4	42	22.0
30-34	6	8.6	22	11.5
35-39	15	21.4	47	24.6
40-44	9	12.9	25	13.1
45+	8	11.4	11	5.8
Total	70	100	191	100

Table 21: Individuals in NSP by Age Group: Steroid Users Omitted

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	0	0.0	0	0.0
18-19	0	0.0	0	0.0
20-24	2	8.7	2	3.4
25-29	1	4.3	3	5.1
30-34	1	4.3	5	8.5
35-39	10	43.5	29	49.2
40-44	5	21.7	15	25.4
45+	4	17.4	5	8.5
Total	23	100	59	100

Table 22: Year to Date, by Gender & Age Group

Age Group	Gender				Total in Age Group	
	Male		Female			
	n	%	n	%	n	%
Under 18	0	0.0	0	0.0	0	0.0
18-19	18	3.9	0	0.0	18	3.8
20-24	92	20.1	0	0.0	92	19.2
25-29	94	20.6	2	9.5	96	20.1
30-34	78	17.1	5	23.8	83	17.4
35-39	93	20.4	6	28.6	99	20.7
40-44	52	11.4	6	28.6	58	12.1
45+	30	6.6	2	9.5	32	6.7
Total	457	100	21	100	478	100

Table 23: Total Syringes Provided

	Agency	Pharmacy	Total (Q)	Year to Date
Barrels	6,244	1,002	7,246	24,843

NB: We will no longer be reporting needle returns as it is not possible to accurately calculate them from the data available. Total Syringes include exchanges by non-attributable individuals.

National Drug Treatment Monitoring System (NDTMS)

Quarter 4 (2009/10)

Background

The NDTMS is the official method for measuring the extent and nature of structured drug treatment in England and Wales. The system is commissioned by the NTA and is operated through nine regional centres – corresponding to the nine government offices for the regions.

Data here are aggregated to one individual per D(A)AT. Individuals presenting in more than one D(A)AT within the quarter's time period will therefore be represented more than once in the original data. The D(A)AT referred to is D(A)AT of treatment.

New Clients

Figures presented here for "new" clients are calculated using the triage date. Those individuals triaged within the reporting period are taken as new clients for this report. However, it should be noted that these individuals may have been triaged, or in contact with treatment services, before this period.

Table 24: Individuals in Contact with Treatment Services, by Gender

New Clients	n	%
Male	127	85.2
Female	22	14.8
Total	149	100
All Clients		
Male	999	74.2
Female	347	25.8
Total	1,346	100

Table 25: Year to Date, by Gender

New Clients	n	%
Male	411	76.4
Female	127	23.6
Total	538	100
All Clients		
Male	1,081	74.4
Female	371	25.6
Total	1,452	100

Table 26: Individuals in Contact with Treatment Services, by Age Group

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	17	11.4	181	13.4
18-19	7	4.7	40	3.0
20-24	20	13.4	117	8.7
25-29	22	14.8	187	13.9
30-34	27	18.1	246	18.3
35-39	29	19.5	263	19.5
40-44	15	10.1	200	14.9
45+	12	8.1	112	8.3
Total	149	100	1,346	100

Table 27: Year to Date, by Age Group

Age Group	New Clients		All Clients	
	n	%	n	%
Under 18	79	14.7	188	12.9
18-19	17	3.2	45	3.1
20-24	51	9.5	143	9.8
25-29	79	14.7	201	13.8
30-34	93	17.3	268	18.5
35-39	98	18.2	276	19.0
40-44	74	13.8	213	14.7
45+	47	8.7	118	8.1
Total	538	100	1,452	100

Table 28: Ethnicity of Individuals in Contact with Treatment Services

Ethnicity	New Clients		All Clients	
	n	%	n	%
White British	148	99.3	1,321	98.1
White Irish	1	<1	3	<1
Other White	0	0.0	1	<1
White & Black Caribbean	0	0.0	4	<1
White & Black African	0	0.0	1	<1
Other Mixed	0	0.0	1	<1
African	0	0.0	1	<1
White & Asian	0	0.0	0	0.0
Other Asian	0	0.0	1	<1
Other Black	0	0.0	2	<1
Caribbean	0	0.0	1	<1
Chinese	0	0.0	0	0.0
Other	0	0.0	2	<1
Unknown	0	0.0	8	<1
Total	149	100	1,346	100

Table 29: Individuals in Contact with Treatment Services, by Main Drug of Use

Drug of Use	New Clients		All Clients	
	n	%	n	%
Heroin	53	35.6	659	49.0
Methadone	4	2.7	49	3.6
Other Opiates	3	2.0	28	2.1
Benzodiazepine	0	0.0	5	<1
Amphetamines	1	<1	20	1.5
Cocaine	47	31.5	260	19.3
Crack	1	<1	19	1.4
Hallucinogens	0	0.0	0	0.0
Ecstasy	0	0.0	6	<1
Cannabis	39	26.2	293	21.8
Solvents	0	0.0	1	<1
Prescription Drugs	1	<1	5	<1
Other/Unknown	0	0.0	1	<1
Total	149	100	1,346	100

CONNEXIONS

Quarter 4 (2009/10)

Background

Connexions provide a support service for young people, aged 13-19. The Greater Merseyside Connexions Partnership provides data presented here.

Table 30: Individuals in Contact with Connexions, by Gender

Gender	n	%
Male	14	50.0
Female	14	50.0
Total	28	100

Table 31: Year to Date, by Gender

Gender	n	%
Male	26	54.2
Female	22	45.8
Total	48	100

Table 32: Individuals in Contact with Connexions, by Age

Age Group	n	%
16	4	14.3
17	6	21.4
18	10	35.7
19	8	28.6
Total	28	100

Table 33: Year to Date, by Age

Age Group	n	%
16	5	10.4
17	12	25.0
18	13	27.1
19	18	37.5
Total	48	100

Table 34: Individuals in Contact with Connexions by Drug/Alcohol Problem

Substance	n	%
Alcohol/Other*	8	28.6
Drugs	20	71.4
Total	28	100

*"Other" is generally used to refer to solvents although this is not necessarily always the case.

Table 35: Year to Date, by Drug/Alcohol problem

Substance	n	%
Alcohol/Other*	11	22.9
Drugs	37	77.1
Total	48	100

*"Other" is generally used to refer to solvents although this is not necessarily always the case.

COMBINED DATASETS

Quarter 4 (2009/10)

Introduction

Data presented here are drawn from a combination of datasets relating to Arrest Referrals, Probation, NSP (Agency and Pharmacy), NDTMS and Connexions. The combined data are aggregated on attributor and D(A)AT area of intervention (except Probation, which is based on residence), to produce overall figures for numbers of individuals in contact with services reporting to the IAD. Figures presented here will not necessarily reflect the combined totals of data presented earlier as duplicate attributors are removed. These figures should not be taken as a measure of prevalence of problem drug users, but reflects the total number of problem drug users in contact with a range of agencies. Further information on the processes of data manipulation, aggregation and analysis is available from the IAD Manager.

Table 36: Total Problem Drug Users reported to the IAD, by Gender and Age Group

Gender	n	%
Male	1,183	76.6
Female	362	23.4
Age Group		
Under 18	190	12.3
18-19	63	4.1
20-24	156	10.1
25-29	235	15.2
30-34	265	17.2
35-39	298	19.3
40-44	217	14.0
45+	121	7.8
Total	1,545	100

Table 37: Year to Date, by Gender and Age Group

Age Group	Gender				Total in Age Group	
	Male		Female			
	n	%	n	%	n	%
Under 18	133	8.4	69	16.5	202	10.1
18-19	72	4.5	23	5.5	95	4.7
20-24	217	13.7	33	7.9	250	12.5
25-29	259	16.3	60	14.3	319	15.9
30-34	259	16.3	83	19.8	342	17.1
35-39	306	19.3	69	16.5	375	18.7
40-44	214	13.5	49	11.7	263	13.1
45+	125	7.9	33	7.9	158	7.9
Total	1,585	100	419	100	2,004	100

CROSS-MATCHED DATASETS

Quarter 4 (2009/10)

Data are shown for the crossover between each type of NSP and NDTMS, separately, during the current reported quarter. For the purposes of this analysis, known steroid users were removed as they are less likely to be accessing structured drug treatment.

For methodological reasons the crossover between all three datasets will no longer be reported. Further information is available from the IAD manager if required.

NB: Numbers in brackets refer to the total reported for that service type, with steroid users omitted. These include the numbers appearing on the crossover sections. Analyses for the crossover areas are based on D(A)AT of NSP site.

Fig 1: Crossover between Agency NSP and NDTMS datasets




Fig 2: Crossover between Pharmacy NSP and NDTMS datasets




Fig 3: Year to Date Crossover between Agency NSP and NDTMS datasets




Fig 4: Year to Date Crossover between Pharmacy NSP and NDTMS datasets

